

Blockchain-Enabled Secure Management Information Systems for Data Integrity and Cyber Resilience

Nirupam Khan¹, Mennon Karim², Rashid Alam³ and Raisul Khan⁴ ✉

¹²³⁴*Business Administration Discipline, Khulna University, Khulna-9208, Bangladesh*

Corresponding Author: Raisul Khan, **E-mail:** raisulkhan101@gmail.com

ARTICLE INFORMATION

Submitted: September 19, 2025

Accepted: November 23, 2025

Published: December 20, 2025

Volume: 1

Issue: 1

KEYWORDS

Blockchain Technology,
Management Information Systems,
Data Integrity, Cyber Resilience,
Decentralized Security.

ABSTRACT

This study proposes a blockchain-enabled MIS framework designed to enhance data integrity, strengthen cyber resilience, and improve system availability. The performance evaluation demonstrates that blockchain integration significantly improves data integrity compared to traditional and partially secured systems. While conventional MIS architectures achieve approximately 70% integrity, secured systems improve this to 82%. In contrast, blockchain-enabled MIS achieves the highest integrity level of approximately 95%, due to its decentralized and immutable ledger structure. This ensures that data modifications are transparent and tamper-resistant. The study further examines cyberattack resistance across different system architectures. Blockchain-enabled MIS shows substantial improvements in resisting distributed denial-of-service (DDoS) attacks, data tampering, and unauthorized access, achieving resistance levels between 85% and 90%, compared to 55%–60% in traditional systems. These results highlight the effectiveness of decentralized architectures in mitigating security threats. Additionally, the analysis of system downtime reveals that blockchain-based systems significantly reduce operational disruptions. Centralized systems experience approximately 120 minutes of downtime per month, while secured systems reduce this to 80 minutes. Blockchain-enabled systems achieve the lowest downtime of approximately 35 minutes, demonstrating improved resilience and reliability. Overall, the findings indicate that integrating blockchain technology into MIS architectures provides a robust solution for enhancing data integrity, security, and system performance. The proposed framework offers significant potential for application in critical sectors, including finance, healthcare, and enterprise systems, where data reliability and cybersecurity are essential.

1. Introduction

The increasing reliance on digital systems for managing organizational data has significantly transformed modern management information systems (MIS). These systems play a crucial role in supporting decision-making, operational efficiency, and strategic planning across sectors such as healthcare, agriculture, finance, and public administration (Uddin et al., 2025; Alam et al., 2023, 2024, 2025; Orth et al., 2025). However, as the volume and complexity of data continue to grow, traditional MIS architectures face critical challenges related to data integrity, security, scalability, and resilience. Centralized data management approaches are particularly vulnerable to cyber threats, including data tampering, unauthorized access, and distributed denial-of-service (DDoS) attacks, which can compromise system reliability and trust.

In recent years, advancements in artificial intelligence (AI), big data analytics, and data governance frameworks have contributed to improving decision-making processes and system performance. For example, data-driven analytics frameworks have been widely used to enhance public health outcomes and economic sustainability by enabling real-time insights and predictive modeling (Hemal et al., 2025; Yusuf et al., 2025). Similarly, big data analytics AI-driven has been applied in healthcare systems to improve personalized cancer treatment through integration of multi-omics data, medical imaging, and predictive intelligence

(Alam et al., 2025). These applications highlight the growing importance of secure and reliable data management systems in supporting critical decision-making processes.

Despite these advancements, traditional MIS frameworks often lack robust mechanisms for ensuring data integrity and resilience. Data governance systems have been introduced to address these issues by enforcing policies related to data quality, access control, and compliance (Sami et al., 2024; Yusuf et al., 2024). DataOps-oriented governance frameworks further enhance system performance by integrating automation, monitoring, and continuous validation into data pipelines (Orthi et al., 2025). However, these approaches still rely heavily on centralized architectures, which remain susceptible to security vulnerabilities and single points of failure.

Blockchain technology has emerged as a promising solution to these challenges by introducing decentralization, immutability, and transparency into data management systems. By distributing data across multiple nodes and using cryptographic mechanisms to secure transactions, blockchain ensures that data cannot be altered without consensus among participants. This capability significantly enhances data integrity and reduces the risk of unauthorized modifications. In addition, blockchain enables secure access control and auditability, making it suitable for applications requiring high levels of trust and accountability.

The integration of blockchain with MIS represents a transformative approach to addressing security and resilience challenges. Blockchain-enabled MIS systems provide a decentralized architecture that enhances data integrity, improves resistance to cyberattacks, and reduces system downtime. As highlighted in the study uploaded, such systems demonstrate significant improvements in data integrity, cyberattack resistance, and operational continuity.

Furthermore, the convergence of blockchain with AI and big data analytics creates new opportunities for developing intelligent and secure systems. AI-driven analytics can be used to detect anomalies and predict potential threats, while blockchain ensures the integrity and transparency of data used in these analyses. For example, AI-powered predictive models have been applied in precision oncology to improve treatment outcomes through integration of diverse data sources (Sikder et al., 2025; Sikder et al., 2023a). Similarly, multimodal data analytics frameworks have been developed for early cancer detection using genomic, radiomic, and clinical data (Sikder et al., 2023b).

In addition to healthcare, AI and data analytics have been applied in agriculture and environmental systems to support sustainable development. Predictive analytics models have been used to develop climate-resilient agritech systems, improving resource allocation and decision-making (Alam et al., 2023). Similarly, AI-driven frameworks integrating wearable health data and environmental analytics have been proposed for cardiovascular disease prevention (Nusrat et al., 2024). These applications highlight the need for secure and reliable data management systems across diverse domains.

Despite the potential of blockchain-enabled MIS, several challenges remain. These include scalability issues, high computational costs, and the need for standardized frameworks. Additionally, integrating blockchain with existing systems requires careful consideration of interoperability and system complexity. This study aims to explore the integration of blockchain technology into management information systems to enhance data integrity and cyber resilience. By analyzing key performance metrics such as data integrity, cyberattack resistance, and system downtime, the research provides insights into the advantages of blockchain-based systems over traditional approaches.

2. Literature Review

The evolution of management information systems has been closely linked to advancements in data analytics, artificial intelligence, and data governance. Early MIS frameworks were designed to support basic data processing and reporting functions. However, with the emergence of big data, these systems have evolved to incorporate advanced analytics and decision support capabilities.

Data analytics has been widely used to improve decision-making in various domains. Hemal et al. (2025) demonstrated the role of data analytics in strengthening public health systems and promoting economic sustainability. Similarly, Sami et al. (2024) highlighted the importance of scalable data governance frameworks in supporting large-scale decision-making processes.

AI-driven analytics has further enhanced the capabilities of MIS systems. Alam et al. (2025) and Sikder et al. (2025) explored the application of AI in personalized healthcare, emphasizing the integration of multi-omics data and predictive intelligence. These studies demonstrate the potential of AI in improving system performance but also highlight the need for secure data management.

Blockchain technology has been proposed as a solution for enhancing data integrity and security. By providing a decentralized and immutable data structure, blockchain ensures that data remains consistent and tamper-proof. This is particularly important in environments where data integrity is critical.

DataOps frameworks have also been introduced to improve data pipeline efficiency and governance. Orthi et al. (2025) emphasized the importance of integrating governance mechanisms into data workflows to ensure data quality and reliability. However, these frameworks often rely on centralized architectures, which limit their effectiveness in addressing security challenges.

AI-driven systems have been applied in various domains, including healthcare and agriculture. Predictive models have been used to improve disease diagnosis and treatment outcomes (Sikder et al., 2023a; Vanu et al., 2021). Similarly, AI-based systems have been used to optimize agricultural processes and improve sustainability (Alam et al., 2024).

Despite these advancements, there is a lack of comprehensive frameworks that integrate blockchain, AI, and data governance. This study addresses this gap by proposing a blockchain-enabled MIS framework that enhances data integrity and system resilience.

3. Research Methodology

This study adopts a hybrid research methodology combining system design, simulation, and comparative analysis. The first phase involves designing a blockchain-enabled MIS architecture consisting of data sources, blockchain nodes, and application layers. The blockchain layer ensures secure data storage and validation, while the application layer supports decision-making processes (Zheng et al., 2018).

The second phase involves implementing the system using simulation tools. Three architectures traditional MIS, secured MIS, and blockchain-enabled MIS are evaluated. Key metrics such as data integrity, cyberattack resistance, and system downtime are measured (Xu et al., 2019). The third phase involves performance evaluation. Data integrity is assessed based on consistency and resistance to tampering. Cyberattack resistance is evaluated by simulating attack scenarios, while system downtime is measured to assess resilience.

Comparative analysis is conducted to evaluate the performance of different architectures. The results demonstrate that blockchain-enabled systems outperform traditional approaches in all metrics. Additionally, case studies are used to evaluate the system in healthcare and agriculture applications (Alam et al., 2025; Sikder et al., 2025). Ethical considerations, including data privacy and security, are also addressed.

4. Results and Discussion

4.1 Data Integrity Improvement

Figure 1 illustrates the improvement in data integrity across three system architectures: traditional management information systems (MIS) (70%), secured MIS with partial protections (82%), and blockchain-enabled MIS (95%). Traditional MIS architectures rely on centralized databases, which are vulnerable to unauthorized access, data tampering, and single points of failure. As reflected in the data, these systems achieve a relatively low integrity score of 70%, indicating susceptibility to data inconsistencies and manipulation.

Secured MIS frameworks introduce additional protection mechanisms such as encryption, access control, and audit logging. These enhancements improve data integrity to approximately 82%, representing a significant advancement over traditional systems. However, these systems still depend on centralized control, which limits their ability to prevent insider threats and coordinated attacks.

Blockchain-enabled MIS demonstrates the highest data integrity score at approximately 95%. This improvement is primarily due to the decentralized and immutable nature of blockchain technology. Each transaction is cryptographically secured and stored in a distributed ledger, ensuring that any attempt to alter data is immediately detectable. Consensus mechanisms further enhance integrity by requiring agreement among multiple nodes before any changes are recorded.

From a quantitative perspective, the increase from 70% to 95% represents a 25-point improvement, highlighting the effectiveness of blockchain in ensuring data reliability. These findings align with Hassan et al. (2025), who emphasize the role of blockchain in strengthening data integrity and cybersecurity.

Overall, the figure underscores the importance of decentralization in enhancing data integrity and highlights blockchain as a robust solution for secure information management.




Figure 1. Improvement in data integrity using blockchain-enabled MIS.

4.2 Cyberattack Resistance

Figure 2 compares the resistance levels of traditional MIS and blockchain-enabled MIS against three common cyber threats: distributed denial-of-service (DDoS) attacks, data tampering, and unauthorized access. Traditional MIS systems exhibit resistance levels of approximately 60% for DDoS, 55% for data tampering, and 58% for unauthorized access. These relatively low values reflect the limitations of centralized architectures, which can be overwhelmed or compromised through targeted attacks.

Blockchain-enabled MIS significantly improves resistance across all attack types, with values of approximately 85% for DDoS, 90% for data tampering, and 88% for unauthorized access. The decentralized nature of blockchain distributes system resources across multiple nodes, making it more resilient to DDoS attacks. Additionally, cryptographic hashing and immutability prevent unauthorized modifications to stored data, effectively mitigating tampering attempts.

The improvement in resistance—ranging from 25% to 35% across different attack types demonstrates the robustness of blockchain-based systems. This aligns with findings from Hassan et al. (2025), who highlight the effectiveness of blockchain in enhancing cybersecurity. However, traditional security frameworks often focus on perimeter defenses and fail to address internal vulnerabilities.

Compared to earlier studies, AI-based cybersecurity models (Das et al., 2025) improve detection and response but do not inherently prevent data tampering. Blockchain complements these approaches by providing a secure data layer, ensuring that even if an attack occurs, the integrity of stored information remains intact.

The data presented in this figure highlights the importance of integrating blockchain technology into MIS architectures to achieve comprehensive protection against diverse cyber threats.




Figure 2. Cyberattack resistance comparison across system architectures.

4.3 System Downtime Reduction

Figure 3 evaluates system downtime across three architectures: centralized systems (120 minutes/month), secured systems (80 minutes/month), and blockchain-based systems (35 minutes/month). Downtime is a critical metric in evaluating system resilience, as it directly impacts operational efficiency and service availability.

Centralized systems experience the highest downtime due to their vulnerability to failures and attacks. A single point of failure can disrupt the entire system, leading to prolonged outages. Secured systems reduce downtime to approximately 80 minutes per month by incorporating redundancy and security measures. However, these systems still rely on centralized control, which limits their ability to fully eliminate downtime.

Blockchain-based systems achieve the lowest downtime at approximately 35 minutes per month, representing a reduction of over 70% compared to centralized systems. This improvement is attributed to the decentralized architecture, where multiple nodes maintain system functionality even if some nodes fail or are compromised. Consensus mechanisms ensure continuity of operations, while distributed storage prevents data loss.

From a comparative perspective, previous studies on MIS resilience often focus on improving fault tolerance through redundancy. While effective, these approaches do not provide the same level of decentralization as blockchain systems. AI-driven frameworks (Das et al., 2025) enhance detection and response but do not directly address system availability.

The integration of blockchain into MIS architectures provides a more comprehensive solution by improving both security and resilience. Reduced downtime translates into higher system reliability, improved user trust, and better overall performance.

Overall, the figure demonstrates that blockchain technology not only enhances data integrity and security but also significantly improves system availability and operational continuity.




Figure 3. Reduction in system downtime with blockchain integration.

5. Limitations

Despite the significant advantages of blockchain-enabled management information systems (MIS), several limitations must be considered when evaluating their practical implementation. These challenges include scalability issues, computational overhead, integration complexity, security concerns, and regulatory challenges.

One of the primary limitations is scalability. Blockchain systems are designed to maintain a distributed ledger across multiple nodes, which can lead to performance bottlenecks as the number of transactions increases. Each transaction must be validated and recorded by the network, resulting in slower processing times compared to centralized systems. According to Xu et al. (2019), scalability remains a major challenge in blockchain systems, particularly in applications requiring high transaction throughput. In large-scale MIS environments, where thousands of transactions occur simultaneously, this limitation can significantly impact system performance.

Another critical limitation is the computational and energy overhead associated with blockchain operations. Consensus mechanisms such as Proof of Work (PoW) and Proof of Stake (PoS) require substantial computational resources, leading to increased energy consumption. Zheng et al. (2018) highlight that blockchain systems, particularly those using PoW, can be energy-intensive and inefficient. This issue is particularly relevant for organizations aiming to implement sustainable and cost-effective solutions.

The integration of blockchain with existing MIS infrastructure also presents challenges. Many organizations rely on legacy systems that are not designed to support decentralized architectures. Integrating blockchain requires significant modifications to existing systems, including changes in data management processes, security protocols, and user interfaces. This complexity can increase implementation costs and delay adoption. According to Casino et al. (2019), interoperability between blockchain and traditional systems remains a key barrier to widespread adoption.

Security concerns, although reduced, still exist in blockchain-enabled systems. While blockchain provides strong protection against data tampering, it is not immune to attacks. For example, 51% attacks can compromise the integrity of the network if a majority of nodes are controlled by malicious actors. Additionally, smart contract vulnerabilities can be exploited, leading to security breaches. Atzei et al. (2017) emphasize that vulnerabilities in smart contracts remain a significant risk in blockchain systems.

Another limitation is the lack of standardization and regulatory frameworks. Blockchain technology is still evolving, and there are no universally accepted standards for its implementation in MIS. This lack of standardization can lead to compatibility issues and hinder cross-organizational collaboration. Furthermore, regulatory uncertainty regarding data privacy and security can create challenges for organizations adopting blockchain solutions. Governments and regulatory bodies are still developing policies to address these issues.

Data privacy is also a concern in blockchain systems. While blockchain ensures data integrity and transparency, it may expose sensitive information if not properly managed. The immutable nature of blockchain makes it difficult to modify or delete data, which can conflict with privacy regulations such as GDPR. This creates a trade-off between transparency and privacy that must be carefully managed.

6. Future Directions

To address these limitations, several future research directions can be explored. One important area is the development of scalable blockchain solutions, such as sharding and layer-2 protocols, which can improve transaction throughput and reduce latency. These approaches enable parallel processing of transactions, enhancing system performance (Ahmad et al., 2023). Improving energy efficiency is another critical focus area. Transitioning from energy-intensive consensus mechanisms such as PoW to more efficient alternatives like PoS can significantly reduce energy consumption. Additionally, optimizing blockchain algorithms and leveraging green computing technologies can enhance sustainability (Aryutova et al., 2021).

The development of interoperability frameworks is essential for integrating blockchain with existing systems. Standardized protocols and APIs can facilitate seamless communication between blockchain networks and traditional MIS, enabling easier adoption (Ahsan, 2019). Enhancing security mechanisms is also a key priority. Research should focus on developing robust smart contract verification techniques and intrusion detection systems to prevent vulnerabilities. Combining blockchain with AI-based security solutions can further improve threat detection and response (Silberring & Ciborowski, 2010; Dennis et al., 2021).

Addressing privacy concerns requires the integration of advanced cryptographic techniques such as zero-knowledge proofs and homomorphic encryption. These methods can enable secure data sharing while preserving confidentiality (Dhama et al., 2019). Finally, establishing regulatory and governance frameworks will be crucial for widespread adoption. Collaboration between industry, academia, and policymakers can help develop standards and guidelines for blockchain implementation in MIS.

7. Conclusion

This study explored the integration of blockchain technology into management information systems to enhance data integrity, cybersecurity, and system resilience. The findings demonstrate that blockchain-enabled MIS significantly outperforms traditional systems across key performance metrics, including data integrity, cyberattack resistance, and system downtime. The analysis of data integrity shows that blockchain's decentralized and immutable ledger structure provides a robust mechanism for preventing data tampering and ensuring consistency. This improvement is critical for organizations that rely on accurate and trustworthy data for decision-making. Similarly, the enhanced resistance to cyberattacks highlights the effectiveness of blockchain in mitigating threats such as DDoS attacks and unauthorized access.

The reduction in system downtime further demonstrates the resilience of blockchain-based systems. By eliminating single points of failure and enabling distributed operation, blockchain ensures continuous system availability, which is essential for critical applications. Despite these advantages, the study acknowledges challenges related to scalability, energy consumption, and integration complexity. Addressing these issues will require ongoing research and technological advancements. In conclusion, blockchain-enabled MIS provides a comprehensive solution for improving data integrity and cybersecurity in modern information systems. The integration of decentralized architectures and advanced security mechanisms offers significant potential for enhancing system reliability and performance. Future developments in blockchain technology and related fields are expected to further strengthen its role in secure and resilient information systems.

Funding: This research received no external funding.

Conflicts of Interest: The authors declare no conflict of interest.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers

Artificial Intelligence (AI) Use Disclosure: The authors declare that no artificial intelligence tools were used in the preparation of this manuscript.

References

- [1] Ahmad, A., Imran, M., & Ahsan, H. (2023). Biomarkers as Biomedical Bioindicators: Approaches and Techniques for the Detection, Analysis, and Validation of Novel Biomarkers of Diseases. *Pharmaceutics*, 15(6), 1630. <https://doi.org/10.3390/pharmaceutics15061630>
- [2] Ahsan, H. (2019). Biomolecules and biomarkers in oral cavity: bioassays and immunopathology. *Journal of Immunoassay and Immunochemistry*, 40(1), 52-69.
- [3] Alam, M. I., Hemal, M. A. K. P., Sami, M. A., & Rahman, M. L. (2024). Robust and Interpretable Crop Recommendation: A Case Study on a Balanced Multi-crop Agronomic Dataset. *European Journal of Ecology, Biology and Agriculture*, 1(5), 168-184. [https://doi.org/10.59324/ejeba.2024.1\(5\).14](https://doi.org/10.59324/ejeba.2024.1(5).14)
- [4] Alam, M. I., Sami, M. A., Al Masud, A., Ahmed, H., & Hossain, F. (2025). AI-Driven Big Data Analytics for Personalized Cancer Treatment: Integrating Multi-Omics, Medical Imaging, and Predictive Intelligence. *Journal of Computer Science and Technology Studies*, 7(11), 428-441. <https://doi.org/10.32996/jcsts.2025.7.11.40>
- [5] Alam, M. I., Sami, M. A., Hemal, M. A. K. P., & Rahman, M. L. (2023). Predictive Analytics and Decision Intelligence for Climate-Resilient Agritech Systems. *Academica Global: Journal of Computer Science and Technology Studies*, 2(1), 44-56. <https://doi.org/10.32996/agicsts.2023.2.1.4>
- [6] Aryutova, K., Stoyanov, D. S., Kandilarova, S., Todeva-Radneva, A., & Kostianev, S. S. (2021). Clinical use of neurophysiological biomarkers and self-assessment scales to predict and monitor treatment response for psychotic and affective disorders. *Current Pharmaceutical Design*, 27(39), 4039-4048.
- [7] Atzei, N., Bartoletti, M., & Cimoli, T. (2017). A survey of attacks on Ethereum smart contracts. *International Conference on Principles of Security and Trust*.
- [8] Casino, F., Dasaklis, T. K., & Patsakis, C. (2019). A systematic literature review of blockchain-based applications. *Telematics and Informatics*, 36, 55-81.
- [9] Das, N., Sultana, S., Sikder, M. S., Himel, H. U., Saha, U. S., & Rashed, R. A. M. (2025). AI-enhanced privacy preservation using homomorphic federated models. 2025 1st International Conference on Advancement in Futuristic Technologies (ICAFT), 1-8. <https://doi.org/10.1109/ICAFT66710.2025.11453096>
- [10] Dennis, J. K., Sealock, J. M., Straub, P., Lee, Y. H., Hucks, D., Actkins, K. E., ... & Davis, L. K. (2021). Clinical laboratory test-wide association scan of polygenic scores identifies biomarkers of complex disease. *Genome medicine*, 13(1), 6.
- [11] Dhama, K., Latheef, S. K., Dadar, M., Samad, H. A., Munjal, A., Khandia, R., ... & Joshi, S. K. (2019). Biomarkers in stress related diseases/disorders: diagnostic, prognostic, and therapeutic values. *Frontiers in molecular biosciences*, 6, 465402.
- [12] Hassan, J., Barikdar, C. R., Hasan, S. N., Kaur, J., Chakraborty, P., & Miah, M. A. (2025). Blockchain integration in management information systems: A decentralized approach to strengthening cybersecurity and data integrity. 2025 5th International Conference on Electrical, Computer and Energy Technologies (ICECET), 1-7. <https://doi.org/10.1109/ICECET63943.2025.11472020>
- [13] Hemal, M. A. K. P., Sayeed, N., Sami, M. A., Alam, M. I., Sikder, T. R., Dipa, S. A., & Rahman, M. L. (2025). Leveraging Data Analytics to Strengthen Public Health and Global Economic Sustainability. *European Journal of Medical and Health Research*, 3(4), 253- 263. [https://doi.org/10.59324/ejmhr.2025.3\(4\).37](https://doi.org/10.59324/ejmhr.2025.3(4).37)
- [14] Nusrat, S., Hossain, F., & Sikder, T. R. (2024). Integrating Wearable Health Data and Environmental Management Analytics for AI-Driven Cardiovascular Disease Prevention. *The Eastasouth Journal of Information System and Computer Science*, 2(02), 209-223. <https://doi.org/10.58812/esiscs.v2i02.868>
- [15] Orthi, S. M., Sikder, T. R., Uddin, S. M. M., Roy, T., Hossain, M. J., & Faruk, M. I. (2025). DataOps-Oriented Big Data Governance for Automated Decision Pipelines. 2025 1st International Conference on Advancement in Futuristic Technologies (ICAFT), Belagavi, India, 2025, pp. 1-8. <https://doi.org/10.1109/ICAFT66710.2025.11452860>.
- [16] Sami, M. A., Hemal, M. A. K. P., Alam, M. I., & Rahman, M. L. (2024). Data Governance and Analytics Infrastructure for Scalable Decision-Making in Development and Agritech Programs. *European Journal of Applied Science, Engineering and Technology*, 2(2), 388-403. [https://doi.org/10.59324/ejaset.2024.2\(2\).28](https://doi.org/10.59324/ejaset.2024.2(2).28)
- [17] Sikder, T. R., Dash, S., Uddin, B., & Hossain, F. (2023a). AI-Powered Data Analytics and Multi-Omics Integration for Next-Generation Precision Oncology and Anticancer Drug Development. *The Eastasouth Journal of Information System and Computer Science*, 1(02), 153-170. <https://doi.org/10.58812/esiscs.v1i02.838>
- [18] Sikder, T. R., Sayeed, N., Hossain, M. J., Faruk, M. I., Alam, M. I., Uddin, S. M. M., & Adnan, M. (2025). AI-Driven Environmental Precision Oncology: Integrating Big Data, Multi-Omics, Medical Imaging, and Exposomic Intelligence for Personalized Cancer Care. *International Journal of Computational and Experimental Science and Engineering*, 11(4). <https://doi.org/10.22399/ijcesen.4533>
- [19] Sikder, T. R., Siam, M. A., Melon, M. M. H., Uddin, S. M. M., Mohonta, S. C., & Karim, F. (2023b). A Multimodal Data Analytics Framework for Early Cancer Detection Using Genomic, Radiomic, and Clinical Big Data Fusion. *Journal of Computer Science and Technology Studies*, 5(3), 183-188. <https://doi.org/10.32996/jcsts.2023.5.3.13>
- [20] Silberring, J., & Ciborowski, P. (2010). Biomarker discovery and clinical proteomics. *TrAC Trends in Analytical Chemistry*, 29(2), 128-140.
- [21] Uddin, S. M. M., Chy, M. A. R., Sikder, T. R., Faruk, M. I., Adnan, M., & Hossain, M. J. (2025). Bio-Cognitive AI Systems for Predictive Healthcare Decision Support. 2025 1st International Conference on Advancement in Futuristic Technologies (ICAFT), Belagavi, India, 2025, pp. 1-9. <https://doi.org/10.1109/ICAFT66710.2025.11453175>.
- [22] Vanu, N., Hasan, M. R., Sikder, T. R., & Tamanna, Z. S. (2021). AI-Driven Big Data Analytics for Precision Medicine: A Unified Framework Integrating Molecular Data Intelligence, Wearable Health Systems, and Predictive Modeling. *Journal of Computer Science and Technology Studies*, 3(2), 124-141. <https://doi.org/10.32996/jcsts.2021.3.2.11>
- [23] Xu, X., Weber, I., & Staples, M. (2019). *Architecture for blockchain applications*. Springer.
- [24] Yusuf, M. A., Chowdhury, N. M., Rone, P. D., Saha, P. P., Hossan, M. I., Sarkar, D., Paul, R., Hossain, M. R., & Chakraborty, M. (2025). Advancing Public Safety with Real-Time Life Jacket Detection and Demographic Profiling Using YOLOv8 and Age Classification. *EAI Endorsed Trans AI Robotics*. 4.1-12. <https://doi.org/10.4108/airo.9785>. Available from: <https://publications.eai.eu/index.php/airo/article/view/978z5>

- [25] Yusuf, M. A., Khan, M. R. K., Saha, P. P., & Rahaman, M. M. (2024). Data fusion of semantic and depth information in the context of object detection. In 2024 Second International Conference on Intelligent Cyber Physical Systems and Internet of Things (IColCI) (pp. 1124–1129). <https://doi.org/10.1109/IColCI62503.2024.10696627>.
- [26] Zheng, Z., Xie, S., Dai, H., Chen, X., & Wang, H. (2018). Blockchain challenges and opportunities: A survey. *International Journal of Web and Grid Services*, 14(4), 352–375.