Stout in Economics, Finance and Accounting (SEFA)
ISSN: 2979-4218
DOI: https://doi.org/10.61424/xyh2sg12
Journal Homepage: https://stoutjournals.org/index.php/SEFA

LNG Export Infrastructure: Strategic Financing, Risk Governance, and Macroeconomic Implications

Bharany Matebie Taye
Independent Researcher, USA
Corresponding Author: Bharany Matebie Taye, **E-mail**: Matebieb@gmail.com

ARTICLE INFORMATION

Submitted: August 21, 2026
Accepted: October 10, 2026
Published: October 26, 2026
Volume: 2
Issue: 1

KEYWORDS

LNG export infrastructure; Strategic financing; Risk governance; Macroeconomic implications; Environmental, social and governance (ESG).

ABSTRACT

LNG export infrastructure is a capital intensive asset of the global energy infrastructure and needs significant investments, integrated risk management and well managed governance during the project life cycle. This study analyzes the strategic financing approaches, risk management structures and macroeconomic consequences of the development of LNG export infrastructure. It covers the financial mechanisms on which liquefaction plants, storage facilities, pipelines and other export related components depend, including project finance, equity, debt finance, export credit agencies and long term contracts. The analysis also considers some major financial and operational risks such as construction cost overruns, commodity price fluctuations, foreign exchange fluctuations, geopolitical instability, regulatory uncertainty and changing global energy demand. Contractual risk allocation, financial hedging, diversified funding, insurance, and the governance are weighed with regard to the project bankability and long-term financial resilience. In addition, the study examines the impact of investments in LNG exports on the economy as a whole, including national income and employment creation, foreign exchange earnings, energy security and public finances. Environmental, social and governance (ESG) factors have been factored in to evaluate the increasing significance of methane emissions reduction, environmental compliance, community participation and climate disclosure. The analysis reveals the importance of linking commercial goals to national economic priorities and changing energy transition policies. The results offer a conceptual basis for grasping the linkages amongst infrastructure financing, risk management, macroeconomic stability and sustainability in the changing global LNG market.

1. Introduction

LNG export infrastructure refers to the facilities and assets needed to extract, process, liquefy, store, transport and deliver liquefied natural gas (LNG) to international markets. The value chain encompasses feed gas treatment, liquefaction plants, storage tanks, marine loading facilities, ships, regasification facilities and downstream pipelines [Christiansen, 2004]. These components are interrelated and demand significant capital costs, lengthy development time, and cooperative technical, financial and regulatory planning. One of the most important forms of financing for large scale LNG infrastructure is called project finance. Project finance is different to traditional corporate finance in that it is primarily based on the project's specific assets and future cash flows to service the debt. Typically, Special Purpose Vehicles (SPVs) are created to isolate assets, liabilities and contractual obligations of the project from those of its sponsors [Halvorsen-Weare, 2013]. Funds can be raised from commercial banks, export credit agencies (ECAs), development financial institutions (DFIs), strategic equity investors and government guarantees. Other financing tools, such as vendor financing, prepayments, mezzanine debt and blended finance, can increase the availability of capital and share the financial risks between the various stakeholders involved. Through project development, financing readiness and bankability are vital. Predictable revenue streams and lender confidence is achieved through stable long-term offtakes, reliable feed gas supplies, concession arrangements, well- structured engineering, procurement and construction (EPC) contracts [Islam, 2026]. In-depth due diligence must also be conducted to assess technical viability, project cost, performance, market demand, political stability, and regulatory adherence. Good risk allocation between

Copyright: © 2026 The Author(s). This open access article is distributed under the terms and conditions of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International (CC- BY-NC-SA) License (https://creativecommons.org/licenses/by-nc-sa/4.0/), published by Stout Journals, London, United Kingdom.

sponsors, contractors, lender, governments and buyers can help minimise uncertainty, and aid financial closure. The investments made in LNG infrastructure also impact on macroeconomic conditions. Exports have the potential to bolster foreign exchange, enhance the current account, create jobs and boost the region's development [Christiansen, 2013]. But high capital investment costs, foreign currency loans, fluctuating international gas prices and reliance on long-term contracts can put national economies at risk of fiscal and financial losses. Facilitating investment through government guarantees can also result in a contingent liability if the projects are not able to generate enough revenue. Investing in LNG project financing is increasingly subject to environmental, social and governance criteria. Compliance with regulations, cost of financing, viability of a project, and mitigation of methane emissions, greenhouse gas intensity, land acquisition, Indigenous rights, biodiversity impacts, and community consultation can all impact regulatory approval [Chen, 2016]. Establishment of compliance with recognised environmental and social frameworks is, therefore, necessary as well as good governance mechanisms and effective monitoring. The strategic financing, contractual certainty, risk governance and macroeconomic planning are important factors, which need to be integrated in the development of LNG export infrastructure in the end [Geng, 2014]. With an ever-changing global energy landscape, investment decisions must take into account energy security, commercial returns, fiscal sustainability and environmental responsibilities to ensure long term viability of energy infrastructure.

2. Components of LNG Export Infrastructure

LNG export infrastructure consists of interconnected facilities that enable the production of LNG, pretreatment, liquefaction, storage and marine transportation of LNG to international markets. Other value chain components include receiving terminals, regasification facilities and downstream distribution networks [Zhang, 2018]. These components work together as a unified system, but can be owned and managed by separate companies. The foundation of export infrastructure are gas treatment/liquefaction plants. Raw natural gas usually contains water, condensate, carbon dioxide, hydrogen sulfide, mercury and other impurities which would cause corrosion, damage to equipment and formation of ice if not removed during processing [Peng, 2021]. Also, heavier hydrocarbons are stripped out during pretreatment, which can be valuable by-products. The methane-rich purified gas is then cooled by refrigeration systems to about −162°C to turn this into a liquid. It decreases its volume by around 600 times which makes it easier to travel long distances. If plant design allows, gas from processing and storage may be recovered for reuse as fuel. Gas may be recovered for reuse as fuel, depending on plant design, from processing and storage. Storage and loading facilities are necessary to ensure safe and uninterrupted export activities [Tasnia, 2026]. Before LNG is shipped, it is stored in a specialised cryogenic storage tank that keeps LNG at very low temperatures (Figure 1). Export terminals include pipelines, loading jetties, marine loading arms, vessel manifolds, mooring systems and emergency safety devices. Emergency release couplings are connections between terminal pipelines and vessels which are designed to disconnect between them if there is a hazardous condition [Chen, 2024]. The design for the terminals will be based on coastal topography, water depth, dredging needs, environmental protection sensitivity, and the anticipated shipping capacity. Floating storage units and floating storage and regasification units could offer alternatives to onshore facilities where land is not available or construction costs are higher or marine conditions are unfavourable [Liu, 2025]. LNG ships are used to move the liquefied product from export terminals to market. LNG is regasified at import terminals and fed into transmission lines for industrial, commercial and residential use. The involvement of regasification and distribution outside of the main export facilities is not considered significant, but is an important factor for the export projects' revenues and long term investments as receiving capacity and downstream demand are important factors. Financing and risk allocation are also influenced by the commercial arrangement for LNG infrastructure. Integrated operators can be responsible for gas production, processing and liquefaction, while specialised companies can be responsible for shipping and terminal operations, or gas distribution [Xu, 2025]. Other ways of raising revenue and sharing operational and commodity price and capacity utilisation risks are by means of merchant models and tolling. To facilitate safe, reliable and economically viable LNG exports, it is necessary to coordinate the technical facilities, transportation systems, commercial agreements and the regulatory frameworks in order to plan effective infrastructure.




Figure 1. Factors Influencing Natural Gas in the Global Energy Economy [Cui, 2025]

3. ESG, Market Engagement, and Risk Governance in LNG Export Infrastructure

Environmental, social and governance (ESG) criteria are vital to bankability and long-term sustainability of LNG export infrastructure. The Equator Principles and IFC Performance Standards include guidelines for environmental considerations, social issues, procurement and lender considerations [Mei, 2024]. The early interaction with prospective lenders and export credit agencies (ECAs) at the Front End Engineering Design (FEED) stage allows the project sponsors to gain insight into the financing terms, debt coverage and compliance considerations prior to the Final Investment Decision (FID). To enhance investor confidence and access to blended finance, ESG commitments should be measurable, transparent and independently verifiable. Risk governance is a key component of safeguarding project cash flows and assuring lender confidence (Figure 2) [Xu, 2025]. An SPV is a typical entity that is created to isolate and distinguish the assets, liabilities and contractual arrangements of the project from those of its sponsors. This facilitates risk allocation, and may help to increase access to financing, but without addressing any underlying commercial or sovereign risks. The sales and purchase agreements (SPAs), and tolling contracts, are especially relevant given the ability to receive regular cash flows, and the counterparties are credit-worthy, which helps debt service over the long term [Tasnia, 2025]. Legal due diligence is needed to ensure consistency of concession agreements, construction contracts, operating arrangements, financing documents and offtake agreements. Risk assessments should include regulatory changes, foreign exchange fluctuations, construction delays and cost overruns, operational failures, counterparty defaults, and potential stranded assets. Digital monitoring tools can be used to help track project performance and contractual adherence and new financial risks.




Figure 2. Natural Gas Price Volatility and Key Influencing Factors [Hosseini, 2016]

4. Financing Risks, Mitigation Strategies, and Macroeconomic Implications

Managing financial, credit, environmental, commercial, construction, operations, regulatory and geopolitical risks are all parts of financing LNG export infrastructure. These risks can impact project viability, ability to service debt, cash flow stability, and investor confidence. Systematic identification, qualitative and quantitative evaluation, prevention, risk contingencies planning and continuous monitoring of risk should be conducted throughout the project life cycle to achieve effective risk governance [Zhao, 2025]. Financial risk comes from interest rate, foreign exchange rate and financing costs changes. The risk of mismatching of project revenues, operating costs and debt obligations can make repayments more burdensome. Exposure can be minimised through using hedging instruments, suitable currency structuring and conservative financial models. Credit risk arises when borrowers or contract parties do not pay for services due to political turmoil, sanctions, economic disruption or insolvency [Yu, 2025]. Financing security can be enhanced through the use of credit assessments, guarantees, political risk insurance and the involvement of export credit agencies (Table 1). Environmental and regulatory risks can be caused by changes in legislation, delays in permitting, ecological damage or community opposition. The potential risks can be reduced if the environment is assessed early, the rules are followed, and community is kept in the loop, while land ownership and access rights are clearly established. Commercial and market risk are related to price variability of LNG, international demand, and capacity utilization [Hong, 2025]. Due to the creditworthiness of the buyer, sensitivity analyses and conservative price assumptions, combined with long term offtake contracts, could help to improve revenue predictability and debt repayment. The optimal debt/ equity ratio will vary with the maturity of the project, the level of contractual certainty of revenue, political circumstances and how the construction risks and market risk are allocated [Álvarez, 2021]. Balanced capital structure, strong risk mitigation measures, clear

governance frameworks and prudent macroeconomic management are key considerations when funding sustainable LNG projects, therefore, to ensure both project performance and the overall economic stability.

Table 1: Strategic Financing Mechanisms, Associated Risks, and Mitigation Strategies for LNG Export Infrastructure

Risk Dimension	Primary Project & Macro Risks	Mitigation & Governance Strategies	Reference
Capital Structure & Debt Financing	Interest rate volatility, foreign exchange mismatch, and capital market access constraints.	Stage-gated engineering & FEED reviews.	[Halvorsen-Weare, 2013, Xu, 2025]
Commercial & Offtake Revenue Models	Commodity/LNG price variability.	Long-term take-or-pay / tolling offtake contracts with creditworthy counterparties.	[Islam, 2026, Xu, 2025]
Construction & Operational Governance	EPC cost overruns and construction delay risks.	Ring-fenced SPV structures isolating project assets/liabilities.	[Christiansen, 2004, Peng, 2021]

5. Interaction Between Financing, Risk Governance, and Macroeconomics

LNG export project level risk governance and macroeconomic conditions are closely related to financing strategies. Sovereign creditworthiness, financial market conditions and international energy prices will have an impact on decisions relating to capital structure, borrowing costs, currency exposure and investment allocation [Tovar, 2015]. Coordinated financing is thus required between Project Specific Financial Planning and National Economic Management. Project finance is a mechanism for distributing risks among sponsors, lenders, governments, contractors and LNG buyers. It is not like a conventional financing that is based on assets of a company and expected cash flow. Special Purpose Vehicles (SPVs) may be able to isolate project risks from sponsor risks, and contractual arrangements can set the roles for each entity involved in the project [Ansorena, 2018]. Special attention is called to concession agreements, operating licences, production sharing arrangements, and long term offtake contracts to ensure predictable revenues and long term financing. The availability and cost of financing is affected by macroeconomic conditions. Commercial and regional banks, the capital markets, infrastructure funds and strategic investors evaluate projects based on their risk, return and governance qualities. An increase in interest rates, currency instability, inflation and falling sovereign creditworthiness could lead to higher borrowing costs or to problems accessing international capital markets [Tasnia, 2025]. A variety of financing options can spread the risk among investors, but each financing option will have different contractual obligations and compliance. Continual market engagement and evidence based risk assessment are also key to effective financing. Sponsors are informed of financing conditions, investor expectations and needed financial coverage metrics by engaging with prospective lenders in early discussions. Financial models should be run in parallel with other commodity price scenarios, interest rates, exchange rates and operating scenarios to assess how robust the projected cash flows are [Wang, 2020]. These evaluations will help inform reconsiderations of the capital structure, contractual terms and risk mitigation measures prior to financial close. Overall, financing, the control of risks and macro-economic conditions are intertwined. The investor confidence and financing costs are affected by macroeconomic developments, while the project governance impacts on the allocation and control of financial, political and operational risks. Effective financial planning, contractual agreements, sensible currency management and good governance are therefore critical to the bankability of LNG projects and overall economic stability [Ye, 2025].

6. Sustainability, Energy Transition, and ESG Oversight in Financing and Governance

Effective environmental, social and governance (ESG) governance becomes imperative for financing large scale LNG export infrastructure. Investors and lenders demand that projects do this, meaning that projects need to recognise, assess and manage environmental and social risks as per internationally recognised standards, such as the Equator Principles and the IFC Performance Standards [Peng, 2019]. The frameworks foster environmental protection and stakeholder engagement, transparent reporting and accountability throughout the project lifecycle. Accordingly, environmental baseline studies, social impact assessments and well documented mitigation plans are key elements of financing readiness and bankability. Project planning and regulatory assessments should include indigenous peoples' rights and community protection. LNG's climate footprint is a function of the amount of methane leakage during the extraction, processing, transport and distribution of LNG, and the emissions from liquefaction and shipping (Table 2) [Wang, 2019]. While under specific conditions LNG can lower emissions of some more polluting fuels, the overall climate effects of LNG use cannot be taken for granted without a proper examination of the entire supply chain. The credible environmental oversight is thus indispensable to methane measurement and leak detection, emissions reduction measures and independently verifiable reporting. Regulatory stability, enforceable contracts, institutional capacity and effective environmental enforcement contribute to the viability of the project and security of public interests [Zhang, 2024]. Alignment of financial goals and safety requirements and environmental responsibilities requires coordination between governments, national oil companies, private capital investors, and local communities. Overall, sustainable LNG financing is a delicate balance between energy security, economic development, and climate goals. Good governance of ESG, safeguarding of impacted communities, tangible emission reduction goals, and ongoing regulatory adherence can improve the governance of projects. Long-term investment decisions, however, should also take into account the issue of transition risks, stranded assets and the compatibility of LNG infrastructure with changing climate policies and national decarbonisation commitments [Tasnia, 2025].

Table 2: Technical Components, ESG Oversight, and Sustainability Dimensions in LNG Export Projects

ESG Focus	Environmental & Governance Challenges	Strategic Oversight & Compliance Standards	Reference
Feed Gas Treatment & Liquefaction Facilities	High energy consumption and carbon intensity during pretreatment and refrigeration.	Integration of boil-off and fuel-gas recovery systems.	[Zhang, 2018, Peng, 2021]
Storage, Marine Terminals & Logistics	Marine and coastal ecosystem disruption.	Coastal topography and environmental sensitivity assessments prior to terminal site selection.	[Tasnia, 2026, Chen, 2024, Liu, 2025, Xu, 2025, Zhang, 2024, Hossain, 2026]
ESG Frameworks & Community Governance	Disputes over land acquisition, displacement, and cultural heritage.	Adherence to international benchmark standards: Equator Principles and IFC Performance Standards.	[Chen, 2016, Mei, 2024]
Energy Transition & Climate Alignment	Transition risks and potential for stranded assets under accelerating global climate policies.	Long-term financial appraisal accounting for carbon policy tightening and demand shifts.	[Chen, 2016, Wang, 2019, Tasnia, 2025, Wijaya, 2025, Barnes, 2015]

7. Discussion

The financing and development of the facilities to export liquefied natural gas (LNG) is a complex engineering, financial and risk management process, with macroeconomic considerations and sustainability goals playing a part. Large scale LNG projects involve significant capital costs, long development times, and a degree of intergovernmental involvement, along with project sponsors, commercial banks, export credit agencies (ECAs), development finance institutions (DFIs), contractors and international buyers [Hou, 2023]. Technical viability is only the start of their long-term viability as they need to be able to create predictable

cash flows, allocate risks appropriately, be compliant with regulations, and adjust to the changing energy markets. The results presented under these dimensions suggest that strategic financing, good governance, and macroeconomic management should be considered along the full project life cycle, and not as standalone issues [Belcore, 2025]. Project finance is a key component of LNG infrastructure financing, facilitating project finance arrangements through the use of Special Purpose Vehicles (SPVs). These entities are required to be maintained within a separate legal framework, to handle project assets, liabilities, contractual requirements and cash-flow. Nons recourse or limited recourse financing is when a lender's primary source of repayment is project cash flows and project assets, not the total balance sheets of the project sponsors [Savvakis, 2025]. This set-up can permit big investments to occur by spreading out financial risk among stakeholders, and to permit projects to be evaluated on their Economic fundamentals. Risk isolation does not mean that the uncertainties of the business and the political and operational environment are eliminated. Despite the success of the transaction, there is still a lot of contract work to be completed, much due diligence to be performed, and lender safeguards to be enforced to ensure financial stability [Guo, 2024]. The success of the SPV structures thus relies on the governance quality, the sustainability of project revenues and the enforceability of financing agreements. There is a structured framework that can be used to tackle these challenges through strategic financing arrangements. The process of preparing for financing should be undertaken as part of the initial phases of project development, involving a series of technical feasibility, commercial viability, financial capability, environmental and social compliance assessments. Stage gated reviews allow sponsors to discover deficiencies and not invest more funds [Chen, 2022]. As a part of the Front End Engineering Design (FEED) phase, discussions with prospective lenders and financing institutions can help define-ratios of debt, contractual obligations, procurement criteria and risk mitigation strategies. A comprehensive bankability gap analysis can help to pinpoint the gap in project documentation, and what steps are necessary prior to the Final Investment Decision (FID) [Huang, 2024]. This is a way of minimising the risk of a costly restructuring or extended financial closure negotiations. It also gives sponsors flexibility in choosing financing sources and negotiating the allocation of capital. The overall economic impacts of LNG infrastructure go beyond the jobs, the region, the industry and the public finances. Direct jobs can be created during construction and operation and demand for transportation, engineering, maintenance, and supporting services is stimulated [Hossain, 2026]. Additionally, export revenues can be used to promote infrastructure development and economic growth. However, there is the potential for significant fiscal risk for large projects if the governments provide guarantees, tax incentives or other public support. Contingent liabilities could turn into public expenditure if the project revenue is inadequate. Good debt management requires careful and sensible considerations, disclosure of guarantees and realistic economic evaluation. Where regional job and revenue generation are heavily reliant on fossil fuel infrastructure, workforce development and economic diversification should be taken into account [Iphar, 2024]. Environmental, social and governance (ESG) oversight is increasingly emerging as a key factor influencing financing conditions and project acceptability. The Equator Principles and IFC Performance Standards offer a framework for assessing environmental impacts, community relations, labour conditions and governance practices. Project planning should include environmental baseline studies, social impact assessments, appropriate permitting and stakeholder consultation. Infrastructure development areas that impact vulnerable populations should be specifically addressed with regards to Indigenous Peoples' rights, land access, cultural heritage and community health [Hossain, 2026]. Clear grievance processes and independent oversight can help promote accountability and minimize risks for disputes, delays, and reputational damage. ESG compliance should, therefore, be incorporated into financing decisions, procurement processes, lender covenants, and monitoring of operations – and not viewed as a standalone reporting requirement. The investment in LNG has to contend with the challenges posed by climate transition. Methane leakage along the production, processing, transport and distribution phases has major potential impacts on the total climate footprint of the supply chain [Wijaya, 2025]. LNG can lead to lower emissions in some circumstances as compared to other, more carbon-intensive fuels; however, the climate benefits of displacing a carbon-intensive fuel with LNG are dependent on the emissions of the fuel that will be displaced, the energy required to liquefy the LNG, the distance of LNG shipments, and the intensity of the carbon emissions of the fuel being displaced. The reliable measurement of emissions, leak detection, independent verification and credible reduction targets are therefore important for environmental governance [Barnes, 2015]. Additionally, investors should not overlook the risk of a carbon policies tightening, shifts in demand, technological innovations, and competition from lower carbon energy sources, which may shorten the economic life of infrastructure assets. All the risks associated with a transition should be included in long-term financial modelling and investment appraisal. Large capital investments can be supported through SPV based financing, and how revenue and risks will be shared are dependent on integrated, merchant and tolling models [Bittante, 2017]. In case of financial or operational problems on the part of counterparties, contractual safeguards such as cure periods, novation agreements, termination compensation, and lender step in rights can maintain continuity of the project. However, These are effective only where the law, licensing, regulation and enforcement of agreements are in place. Reliable legal due diligence is therefore essential, especially in cross border deals with government organisations and state owned companies [Lin, 2013]. Overall, LNG export infrastructure financing works best when the capital mobilisation and risk allocation, macroeconomic planning and ESG oversight are all considered to be interconnected aspects of project development. Financial models should reflect engineering realities, contractual arrangements should support reliable cash flows and risk mitigation measures should continue to be effective in shifting economic and regulatory conditions.

8. Conclusion

LNG export infrastructure requires an integrated approach to strategic financing, risk governance, and macroeconomic management. Effective project finance structures, diversified funding sources, enforceable contracts, and comprehensive risk mitigation strengthen bankability and support long term investment. However, financial viability remains influenced by currency volatility, commodity price fluctuations, regulatory uncertainty, and environmental challenges. Integrating ESG standards, methane emissions management, and community protections is essential for responsible development. Ultimately, transparent governance, prudent financial planning, and continuous risk assessment are necessary to balance commercial returns, national economic interests, energy security, and sustainability objectives throughout the LNG infrastructure lifecycle.

Funding: This research received no external funding.

Conflicts of Interest: The authors declare no conflict of interest.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers

Artificial Intelligence (AI) Use Disclosure: The authors declare that no artificial intelligence tools were used in the preparation of this manuscript.

References

[1] Álvarez, N. G., Adenso-Díaz, B., & Calzada-Infante, L. (2021). Maritime Traffic as a Complex Network: a Systematic Review: Álvarez NG, Adenso-Díaz B., Calzada-Infante L. *Networks and Spatial Economics*, *21*(2), 387-417.

[2] Ansorena, I. L. (2018). Bilateral connectivity in the liner shipping network: an overview. *World Review of Intermodal Transportation Research*, *7*(4), 295-309.

[3] Barnes, R., & Bosworth, R. (2015). LNG is linking regional natural gas markets: Evidence from the gravity model. *Energy Economics*, *47*, 11-17.

[4] Belcore, O. M., & Polimeni, A. (2025). Times of ships in container ports: automatic identification system data for analyzing traffic conditions at a maritime terminal. *Frontiers in Future Transportation*, *6*, 1735788.

[5] Bittante, A., Jokinen, R., Krooks, J., Pettersson, F., & Saxén, H. (2017). Optimal design of a small-scale LNG supply chain combining sea and land transports. *Industrial & Engineering Chemistry Research*, *56*(45), 13434-13443.

[6] Chen, C., Jiang, Z., Li, N., Wang, H., Wang, P., Zhang, Z., ... & Chen, W. Q. (2022). Advancing UN Comtrade for physical trade flow analysis: review of data quality issues and solutions. *Resources, Conservation and Recycling*, *186*, 106526.

[7] Chen, S., Xiao, Y., Dai, Y., & Mi, J. J. (2024). The Evolution of the Global Liquefied Natural Gas (LNG) Seaborne Trade Network: A Complex Network Analysis. *Procedia Computer Science*, *242*, 396-403.

[8] Chen, Z., An, H., Gao, X., Li, H., & Hao, X. (2016). Competition pattern of the global liquefied natural gas (LNG) trade by network analysis. *Journal of Natural Gas Science and Engineering*, *33*, 769-776.

[9] Christiansen, M., Fagerholt, K., & Ronen, D. (2004). Ship routing and scheduling: Status and perspectives. *Transportation science*, *38*(1), 1-18.

[10] Christiansen, M., Fagerholt, K., Nygreen, B., & Ronen, D. (2013). Ship routing and scheduling in the new millennium. *European Journal of Operational Research*, *228*(3), 467-483.

[11] Cui, W., Wu, D., Huang, Q., & Yang, S. (2025). The dynamic evolution mechanism of liquefied natural gas trade dependency networks: International implications of the Russia-Ukraine conflict. *Sustainable Futures*, *9*, 100730.

[12] Geng, J. B., Ji, Q., & Fan, Y. (2014). A dynamic analysis on global natural gas trade network. *Applied Energy*, *132*, 23-33.

[13] Guo, Z., Qiang, H., Xie, S., & Peng, X. (2024). Unsupervised knowledge discovery framework: From AIS data processing to maritime traffic networks generating. *Applied Ocean Research*, *146*, 103924.

[14] Halvorsen-Weare, E. E., & Fagerholt, K. (2013). Routing and scheduling in a liquefied natural gas shipping problem with inventory and berth constraints. *Annals of Operations Research*, *203*(1), 167-186.

[15] Hong, Y. H., Wang, J., Peng, C., & Zhao, J. (2025). A Risk-Aware LNG Terminal Scheduling Digital Twin Based on Deep Reinforcement Learning. *Computers & Chemical Engineering*, 109520.

[16] Hossain, M. S., & Tasnia, R. (2026). Determinants of Capital Allocation Strategies for Energy Infrastructure Investments Based on Empirical Evidence. *Central Asian J. Theor. Appl. Sci*, *7*(4), 44-52.

[17] Hossain, M. S., & Tasnia, R. (2026). Determinants of Capital Allocation Strategies for Energy Infrastructure Investments Based on Empirical Evidence. *Central Asian J. Theor. Appl. Sci*, *7*(4), 44-52.

[18] Hosseini, S., Barker, K., & Ramirez-Marquez, J. E. (2016). A review of definitions and measures of system resilience. *Reliability Engineering & System Safety*, *145*, 47-61.

[19] Hou, Z., Niu, X., Yu, Z., & Chen, W. (2023). Spatiotemporal evolution and market dynamics of the international liquefied natural gas trade: a multilevel network analysis. *Energies*, *17*(1), 228.

[20] Huang, I. L., Lee, M. C., Chang, L., & Huang, J. C. (2024). Development and application of an advanced Automatic Identification System (AIS)-based ship trajectory extraction framework for maritime traffic analysis. *Journal of Marine Science and Engineering*, *12*(9), 1672.

[21] Iphar, C., Le Berre, I., Foulquier, É., & Napoli, A. (2024). Port call extraction from vessel location data for characterising harbour traffic. *Ocean Engineering*, *293*, 116771.

[22] Islam, S. (2026). Risk Assessment Frameworks for Large-Scale LNG Export Projects: Challenges and Financing Solutions. *American Journal of Business*, *3*(05).

[23] Lin, J., & Ban, Y. (2013). Complex network topology of transportation systems. *Transport reviews*, *33*(6), 658-685.

[24] Liu, M., Liu, Y., Wong, C. W., Lai, K. H., & Tu, E. (2025). The impacts of geopolitics on global Liquefied Natural Gas (LNG) shipping network: Evidence from two geopolitical events. *Ocean & Coastal Management*, *267*, 107706.

[25] Mei, Q., Qinyou, H., Hu, Y., Yang, Y., Liu, X., Huang, Z., & Wang, P. (2024). Structural analysis and vulnerability assessment of the European LNG maritime supply chain network (2018–2020). *Ocean & Coastal Management*, *253*, 107126.
[26] Peng, P., Lu, F., Cheng, S., & Yang, Y. (2021). Mapping the global liquefied natural gas trade network: A perspective of maritime transportation. *Journal of cleaner production*, *283*, 124640.
[27] Peng, P., Yang, Y., Cheng, S., Lu, F., & Yuan, Z. (2019). Hub-and-spoke structure: Characterizing the global crude oil transport network with mass vessel trajectories. *Energy*, *168*, 966-974.
[28] Savvakis, K. I., & Moschovou, T. P. (2025). European LNG import network analysis and investigation of supply security. *Energies*, *18*(3), 634.
[29] Tasnia, R. (2025). Financing Energy Infrastructure for the AI Economy: LNG Exports, Grid Expansion, and Data Center Power Demand. *J. Econ. Econ. Policy*, *2*(3), 239-247.
[30] Tasnia, R. (2025). Regulatory Uncertainty and Capital Formation in LNG Export Projects: Implications for Energy Security and Economic Growth. *Int. Econ. Sustain. J. Finance Dev*, *7*(4), 446-455.
[31] Tasnia, R. (2025). Strategic Financing of LNG Expansion for Infrastructure Development, Export Competitiveness and National Energy Security. *Journal of Knowledge Learning and Science Technology ISSN: 2959-6386 (online)*, *4*(4), 160-167.
[32] Tasnia, R. (2026). Economic Impact of LNG Export Infrastructure on Employment, GDP Growth, and Strategic Energy Security. *Am. J. Econ. Bus. Manag*, *9*(2), 603-611.
[33] Tovar, B., Hernández, R., & Rodríguez-Déniz, H. (2015). Container port competitiveness and connectivity: The Canary Islands main ports case. *Transport Policy*, *38*, 40-51.
[34] Wang, L., Zhang, N., Ye, F., Lau, Y. Y., & Ducruet, C. (2020). The complex network analysis of liner shipping networks: Lessons from the merger between COSCO and CSCL. *Growth and Change*, *51*(4), 1877-1893.
[35] Wang, Z., Claramunt, C., & Wang, Y. (2019). Extracting global shipping networks from massive historical automatic identification system sensor data: a bottom-up approach. *Sensors*, *19*(15), 3363.
[36] Wijaya, W. M., & Nakamura, Y. (2025). Port performance indicators construction based on the AIS-generated trajectory segmentation and classification. *International journal of data science and analytics*, *20*(3), 2473-2492.
[37] Xu, Y., Peng, P., Claramunt, C., Qian, J., & Lu, F. (2025). Resilience of the global maritime LNG network: From static Bow-tie to dynamic SIR modeling. *Reliability Engineering & System Safety*, 111605.
[38] Xu, Y., Peng, P., Xie, X., & Lu, F. (2025). Structural analysis and robustness assessment of global LNG transport network from 2013 to 2023. *Ocean & Coastal Management*, *263*, 107619.
[39] Ye, J., Huang, X., & Chen, W. (2025). Diffusion of low-carbon shipping along the 21st century maritime silk road: From complex network perspective. *Ocean & Coastal Management*, *266*, 107662.
[40] Yu, H., Wu, W., Zhang, X., Fang, Z., Fu, X., Xu, L., & Liu, J. (2025). Optimization-based global liquefied natural gas shipping network management for emission reduction. *Ocean Engineering*, *321*, 120366.
[41] Zhang, D., Tao, J., Wan, C., Huang, L., & Yang, M. (2024). Resilience analysis of maritime transportation networks: A systematic review. *Transportation Safety and Environment*, *6*(4), tdae009.
[42] Zhang, H. Y., Xi, W. W., Ji, Q., & Zhang, Q. (2018). Exploring the driving factors of global LNG trade flows using gravity modelling. *Journal of Cleaner Production*, *172*, 508-515.
[43] Zhao, P., Song, H., & Ling, G. (2025). Machine learning approaches for predicting the link of the global trade network of liquefied natural gas. *Plos one*, *20*(7), e0326952.